

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

7P
epl.

THE PLANT DISEASE REPORTER

Issued By

PLANT DISEASE EPIDEMICS

and

IDENTIFICATION SECTION

AGRICULTURAL RESEARCH SERVICE


UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 230

INDEX TO SUPPLEMENTS 224-229, 1954

Supplement 230

Issued June 15, 1955



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Plant Disease Epidemics and Identification Section serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

SUBJECT INDEX

- Acer platanoides: copper spray injury, 143
--- saccharum: *Valsa leucostomoides*, 144
Africa, 112
Agrobacterium tumefaciens, 140, 141, 142
Alabama, 77, 90, 94, 149
Alfalfa: diseases in Wis. 137; downy mildew, 137; leaf spot, 137; root rot (*Phytophthora* sp.) 1st rept. on this host (Calif.), 128; wilt-producing *Fusaria* from cotton and *Cassia* infect alfalfa, 137; witches' broom virus, 138
Almond: crown gall, 140
Alternaria sp(p)., on chile in N. Mex., 150; fungicides, 54
--- blight, of carrot, 151
--- brassicae, 58
--- brassicicola, 58
--- cucumerina, 58
--- dauci, 58, 151
--- dianthi, 58
--- panax, 58
--- porri, 58
--- solani, 58
--- tenuis, 58
Ambrosia artemisiifolia: nematodes assoc., 105
Andropogon virginicus: nematodes assoc., 105
Anguina tritici, 78; viability over a period of 14 yrs. dormancy, 135
Anthracnose, of blueberry, 141; cucumber, 151; *Lotus uliginosus*, 137; *Rosa* spp., 143; *Viburnum opulus* var. *roseum*, 143; water-melon, 151; wild blackberry, 141
--- spot, of *Cornus florida*, 144
Aphelenchoides fragariae, 139, 142
Aphelenchus avenae, 140, assoc. with citrus roots in U. S., 1st rept., 138
Aplopappus divaricatus: nematodes assoc., 105
Apple: bitter rot, 139; black pox, 111, 1st rept. from Ga., 126; blotch, 139; cedar rust, 139; fire blight, 139; fly speck, 139, 140; leaf spot, 139; powdery mildew, 139; scab, 139; scald, role of cutin and effect of mineral oil on in storage, 140; sooty blotch, 139
Apricot: brown rot, in Calif., 138
Arachis hypogaea: *Belonolaimus*, 102; fungi assoc. with diseases of, 146; ring nematode (*Criconemoides*), 80; rust, 146
Arecastrum romanoffianum: butt rot, 144
Aristida: nematodes assoc., 105
Arizona, 80, 127, 132, 147, 149, 152
Arrhenatherum elatius: eyespot, 1st rept. from Wash., 126
Articularia quercina, on pecan, 127
Ascochyta gossypii, 147
Aster ericoides: nematodes assoc., 105
Bacterial blight, of *Chrysanthemum morifolium*, 130; cotton, 147; raspberry, 141
--- leaf spot, of pepper, 150; of *Ricinus communis* 129, 149; of squash, 151; --- parasite, on *Tamarix pentandra*, 132
--- scab, of *Gladiolus* spp., 142
--- spot, of peach, 140; pepper, 152; tomato, 152
--- stem rot, of *Pelargonium hortorum*, 141
--- wilt, of corn, 136
--- wilt, of tobacco, 148
Bacterium stewartii, 136
Barley: powdery mildew, reaction of vars. and selections to physiological races of, 134; seed-borne virus, 134
Bean: alfalfa mosaic virus, 153; blight, 153; halo blight, streptomycin sulphate sprays for control, 153; rust, 153; tobacco mosaic virus, 153; *Tylenchorhynchus dubius*, 80; white mold in Idaho, 153
---, lima: fungicide-insecticide seed treatments, 153
Belonolaimus, 90, 102; on peanut in Va., 102
--- gracilis, 77, 83; on cowpea, 137; on soybean, 137
Bentonite dust, 141
Beta vulgaris: curly top virus, 146
Betula lutea: canker and decay, 144
Bitter rot, of apple, 139
Blackberry, wild: anthracnose, 141
Black crust, of *Hevea*, 40
--- mold, of *Rosa* spp., 143
--- patch, of *Lotus uliginosus*, 137
--- pox, of apple, 111, 126
--- root rot, of cotton 147; of tobacco, 148
--- shank, of tobacco, 77, 148
--- spot, of *Rosa* spp., 143
--- stripe, of *Hevea brasiliensis*, 37
Blast, of grasses (new hosts), 128
Blight, of bean, 153; cotton, 147; *Liquidambar styraciflua*, 144; oats, 134
---, summer, of *Lotus uliginosus*, 137
Blotch, of apple, 139
Blueberry: anthracnose, 141; ring spot (virus), 141; stem canker, 141
Blue mold, of tobacco, 148
Botrytis cinerea, 3, 139
--- f. *convallariae*, 6
--- *convoluta*, 6
--- *croci*, 6
--- diseases of *gladiolus*, Suppl. 224, pp. 1-33
--- *elliptica*, 4

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 224-229, 1954

Compiled by Nellie W. Nance

Horticultural Crops Research Branch
Supplement 230

Plant Industry Station, Beltsville, Maryland
Index to Supplements, 1954

LIST OF SUPPLEMENTS

Supplement 224. Botrytis diseases of Gladiolus. pp. 1-33. May 15, 1954.

By Charles J. Gould.

Supplement 225. Hevea diseases of the Western Hemisphere. pp. 36-52. May 15, 1954.

Articles by various authors; see its table of contents and author index below.

Supplement 226. The efficacy of fungicides in the control of certain genera of plant-pathogenic fungi: literature review. pp. 54-71. July 15, 1954. By P. M. Miller and M. B. Linn.

Supplement 227. New developments and new problems concerning nematodes in the South: a symposium. pp. 74-107. October 15, 1954. Papers presented at the Dallas meeting, Southern Division, American Phytopathological Society, Dallas, Texas, February 1-3, 1954. See its table of contents and author index below.

Supplement 228. Helminthosporium problems: a symposium. pp. 110-119. October 15, 1954.

Papers presented at the Dallas meeting, Southern Division, American Phytopathological Society, Dallas, Texas, February 1-3, 1954. See its table of contents and author index below.

Supplement 229. Some new and important plant disease occurrences and developments in the United States in 1953. pp. 122-154. December 15, 1954. Compiled by Nellie W. Nance.

Supplement 230. Index to Supplements 224-229. pp. (156-167). Issued June 15, 1955. By Nellie W. Nance.

AUTHOR INDEX

Cairns, Eldon J., 75

Machmer, John H., 102

Carpenter, J. B., (37)

Manis, W. E., (37), 49

Cordner, H. B., 92

Martin, W. J., 86

Dieter, C. E., 98

McBeth, C. W., 95

Gorenz, A. M., (37)

Miller, P. M., 54

Gould, Charles J., 3

Morrison, Lou, (92)

Graham, T. W., 80, 89

Nance, Nellie W., 122

Holdeman, Q. L., 77, 81

Rosen, H. R., 114

Imle, E. P., (37)

Smith, Albert L., 90, 94

Ivanoff, S. S., 84

Struble, F. Ben, (92)

Langford, M. H., 37, 42

Townsend, C. H. T., Jr., (42)

Linn, M. B., (54)

Ullstrup, Arnold J., 116, 118

Luttrell, E. S., 111

- (*Botrytis*) galanthina, 6
 - gladioli, 4
 - gladiolorum, 3
 - hyacinthi, 6
 - narcissicola, 6
 - polyblastis, 6, 142
 - tulipae, 6
 - yuae, 132
- Brachysporium*, 111
- Brazil, 42, 49, 50, 54
- Brevipalpus*, 138
- British Columbia, 3, 54
- Broccoli: *Pseudomonas maculicola*, 150
- Bromus marginatus*: head smut, 136
- Brown leaf spot, of pecan, 141
 - rot, of apricot, 138; of *Citrus spp.*, 138; of peach, 140; of stone fruits, 138
- Buckeye rot, of *Lilium regale*, 130
- Bunt, of wheat, 135
 - , dwarf, of grasses (new hosts), 128; of wheat, 135
- Burma, 49
- Butt rot, of *Arecastrum romanzoffianum*, 144
- Cabbage: autogenous necrosis, 1st rept. on this plant (Wis.), 132; downy mildew, 150
- Calcium cyanamide, for tobacco bed weed control, 149
 - sulfamate, 135
- California, 3, 127 ff., 137 ff., 143 ff., 150 ff.
- Camellia: dieback and canker, 142; leaf and flower variegation, transmission by grafting, 142
- Canada, 3
- Canker, of camellia, 142; peach, 140; and decay, of *Betula lutea*, 144
- Cantaloupe: *Meloidogyne incognita*, 151
- Capitophorus fragaefolii*, 139
- Captan, 139, 144
- Carneocephala flaviceps*, 141
- Carrot: *Alternaria* blight, 151
- Castorbean, see *Ricinus*
- Catacauma huberi, 40
- Cauliflower: club root, 150
- Cedar rust, of apple, 139
- Celery: diseases, 150
- Celosia argentea* var. *cristata*: damping-off, 1st rept. on this host (Tenn.), 130
- Central America, 37, 49, 140
- Central Rocky Mountain States, 131
- Cephalothecium roseum*, 141
- Ceratostomella fimbriata*, 39
- Ceratostomella ulmi*, 146
- Cercospora spp.*: fungicidal efficacy, 54
 - apii, 58
 - aurantia, 68
 - beticola, 58
 - capsici, 68
 - carotae, 58
 - circumscissa, 68
- citrullina, 68
- cruciferarum, 68
- cruenta, 68
- fici, 68
- fusca, 141
- mali, 68
- obscura, 68
- purpurea, 68
- rubi, 68
- unamunoi, 132
- viticola, 68
- Cereal smuts, fungicides for control of, 134
- Cereals and grasses: abnormalities caused by nematodes, 84
- Ceresan M, 136
- Ceylon, 49
- Chalaropsis thielavioides*, 143
- Charcoal rot, of corn, 136
- Chenopodium album*: potato calico (virus), 1st rept. on this host (Maine), 130
- Cherry: "Eckelrader" disease, importations from Europe, 140
- Chlorobromopropene*, 152
- Chlorosis and decline, of peach, 78
- Chrysanthemum spp.*: Noordam's B virus in the U. S., 142
 - morifolium: bacterial blight, hitherto unreported disease of greenhouse chrysanthemums (Mass., Fla., N. C., Conn., Pa.), 130
- Cinnamomum zeylanicum*: *Phytophthora cinnamomi*, 143
- Circular spot, of sweetpotato, 151
- Circulifer tenellus*, 146
- Citrus spp.*: brown rot, 138; crinkle scurf, 138; exocortis (virus), 126; new virus disease (Calif.), 128; scaly bark, 138; spreading decline, 140, in Fla., 138; stem pitting, 138; Winter Haven decline in Texas, 139
- Cladosporium carpophilum*, 140
 - cucumerinum, 151
 - effusum, 141
- Clitocybe* root rot, of peach, 140
 - tabescens, 140
- Club root, of cauliflower, 150
- Cochliobolus heterostrophus*, 118
- Colchicum*: *Botrytis spp.*, 6
- Colombia, 42, 48
- Colorado, 129, 134, 142, 150
- Colletotrichum spp.*: fungicidal efficacy, 54
 - antirrhini, 58
 - gloeosporioides, 40, 68
 - gossypii, 68
 - hibisci, 147
 - higginsianum, 58
 - lagenarium, 58, 151
 - lindemuthianum, 58
 - phomoides, 58, 152
 - truncatum, 58, 137
- Connecticut, 130, 139, 148, 151, 152, 154

- Control, of *Aphelenchoides fragariae* on *Lilium* spp., in Oregon, 142; of celery seedbed diseases with methyl bromide, 150; of covered-kernel smut of sorghum, in Colo., 134; of diseases of potato by disease resistance, 154; of *Fabrea maculata* on English hawthorn, seven fungicides tested, 144; of gray mold of strawberry with captan, 139; of head smut of brome grass with Ceresan M and Panogen, 136; of leaf blight (South American) of *Hevea* rubbertrees, 42; of nematode-Fusarium wilt complex of cotton, with soil fumigant, 98; of panel decay of *Hevea brasiliensis*, 38; of Phytophthora root rot of avocado, 140; of rose diseases, 143
- Convallaria*: *Botrytis* spp., 6
- Copper dust, 141
- Copper-Hydro*, 150
- Copper 8-quinolinolate (Bioquin 1), for control of apple diseases, 139
- Copper spray injury, to *Acer platanoides*, 143
- Copper sulfate, 140
- Corm rot, of gladiolus, 3
- Corn: bacterial wilt, 136; charcoal rot, 136; crazy top (cause unknown), 1st rept. from N. Y., 126; ear rot, 136; *Helminthosporium* diseases, 118; leaf blight, 135; northern leaf blight, 136; *Pratylenchus leiocephalus*, 136; rust, 136; smut, 136
- Cornus florida*: spot anthracnose, 144
- Corticium galactinum*, on *Pinus strobus*, 144
- *salmonicolor*, 40
- Corynebacterium tritici*, 78
- Costa Rica, 42, 54
- Cotton: bacterial blight, 147; black root rot, 147; blight, 147; *Colletotrichum gossypii*, 147; loss estimating, 146; losses 147; mean rating for root galls on 7 vars. with isolates of root knot nematodes, 87; nematode-Fusarium wilt complex, 77, 98; nematodes, problems in breeding for resistance to, 90; nematodes assoc. with, in southern Georgia, 104; nub rot, 147; *Pratylenchus pratensis*, 90; pre-harvest weathering effect on fiber properties, 147; *Tylenchorhynchus dubius*, 80, 147; wilt; 77, 98, 147
- Cowpea: *Belonolaimus gracilis*, 137
- Crataegus oxyacantha rosea*: leaf spot 144
- Crazy top, of corn, 126
- Criconemoides*, 102; on peanut, 80; on tobacco, 80
- *citri*, 140
- Crinkle-surf, of *Citrus* spp., 138
- Crocus*: *Botrytis* spp., 6; *Botrytis gladiolorum*, 5
- Crown canker, of *Rosa* spp., 143
- gall, of almond, 140
- of *Helianthus annuus*, 142; of peach, 140; of pecan, 141; of prune, 140
- rot, of *Trifolium pratense*, 138
- rust, of oats, 134
- Cucumber: anthracnose, 151; downy mildew, 151; scab, 151
- Cucurbits: *Meloidogyne* sp., 84
- Curvularia*, 111
- Cylindrocarpon radicicola*, meadow nematode assoc., with plant species, 78
- Cylindrocladium scoparium*, 143
- Cynodon dactylon*, 105
- Cyperaceae: nematodes assoc., 105
- 2, 4-D, 152
- D-D, 95
- D-D and ethylene dibromide, for control of root rot and stem rot of tobacco, 78
- D-D Hi-Sil, 150
- Dactylis glomerata*: nematode (*Anguina*) seed-gall disease, 137
- Damping-off, of *Celosia argentea* var. *cristata*, 130; of nursery ornamentals, 141
- Datura meteloides*: mosaic (virus), 149
- Deficiency diseases, of celery, 150
- Delaware, 148, 151
- Dematophora root and crown rot, of strawberry, 129
- Diabrotica undecimpunctata*, 151
- Dianthus* spp.: aster yellows (virus), 142
- *caryophyllus*: greasy blotch, 140; pimple (*Xanthomonas oryzae* new var.), in Colo., 129
- Dieback, of camellia, 142; of *Hevea benthamiana*, 37; of *Hibiscus cannabinus*, 147
- , leader, of *Liquidambar styraciflua*, 144
- Digitaria ischaemum*: rust (*Puccinia oahuensis*), 1st rept. from La., 126
- *sanguinalis*: *Belonolaimus gracilis*, 137; nematodes assoc., 105; rust (*Puccinia oahuensis*), 1st rept. from La. 126
- Dilophospora alopecuri*, 78
- Diodia teres*: nematodes assoc., 105
- Diplocarpon rosae*, 143
- Diplodia theobromae*, 38
- Diplodina persicae* n. sp., 129
- Diseases of cereal crops, 134; forage and cover crops, 136; fruit crops, 138; nut crops, 141; ornamentals, 141; special crops, 146; vegetable crops, 149
- Dithane, 150
- Dithane Z-78, 38, 44
- Dock, curly: ring spot-like virus, 153
- Dorylaimids, assoc. with avocado roots, 140
- Dorylaimus, 84, 103
- Dothidella ulei, 42
- Dowfume W 40 and DD, 94
- Dowfume W 85, 94
- Downy mildew, of alfalfa, 137; cabbage, 150; cucumber, 151; *Sorghum halepense*, possible relationship with downy mildew of sugarcane, 134; soybean, 137

- Downy spot, of pecan, 141
Drosophila melanogaster, 145
 Dutch elm disease, of *Ulmus* spp., 146
 Dwarf, of strawberry, 139
- Ear rots, of corn, 136
 EDB, 95
 Efficacy of fungicides: a literature review, Suppl. 226: 54-71
Eleusine coracana; *Helminthosporium nodulosum*, 111
Elsinoë ampelina, 141
 --- *corni*, 144
 --- *veneta*, 141
Endoconidiophora coerulescens f. *douglasii* n. form, 131
 --- *fagacearum*, 132, 144
Endria inimica, 135
Erwinia amylovora, 139, 141
 --- f. sp. *rubi*, 141
 --- *chrysanthemi*, 129
Erysiphe cichoracearum, 142
 --- *graminis*, 134, 135
Eupatorium tenuifolium: nematodes assoc., 105
 Europe, 140
 Eyespot, of *Arrhenatherum elatius*, 126
- Fabraea maculata*, 139, 144
 "False broomrape", (undet), of tobacco, 131, 149
Ferbam, 149
Fermate, 38
 Fig: walnut branch wilt, 1st rept. on this host (Calif.), 129
 Fire blight, of apple, 139; of pear, 141
Flax: rust, epidemiology, 134
 Florida, 3, 77, 126, 130 ff., 135, 136, 138, 140, 141, 147 ff., 151, 154
 Fly speck, of apple, 139, 140
Fomes annosus, on *Pinus elliotti*, 144
 --- *lignosus*, 39
 --- *noxius*, 39
 Forecasting late blight of potato and tomato, 153
Fragaria spp.: strawberry dwarf, 139
 --- *chiloensis* var. *ananassa*: buckeye rot, 1st rept. on this host (Tenn.), 129
Freesia: *Botrytis* spp., 6; *Botrytis gladiolorum*, 5
 Fruit rot, of peach, 129
 Fruits, stone: brown rot, 138
 Fumigation for nematodes; theory and practice, 94
 Fungicides: efficacy in control of 4 genera of plant-pathogenic fungi, 54; for control of cereal smuts, 134
Fusarium sp(p.), 112; on celery, 150; on chile in N. Mex., 150
 --- *moniliforme*, 136
 --- *nivale*, 135
 --- *oxysporum* f. *conglutinans*, 153
 --- f. *gladioli*, 30
 --- f. *lycopersici*, 78, 152
 --- f. *nicotianae*, 78, 148
 --- f. *vasinfectum*, 77, 90, 147
 --- *solani*, 149
 --- wilt, of cotton, nematodes assoc., 77; of radish, 153; of *Sesamum* spp., 149; of tobacco, 148; of tomato, 77, 152, root knot nematode assoc., 77
Fusicoccum amygdali, 140
- Ganoderma sulcatum*, 144
 Georgia, 78, 80, 102, 111, 126, 127, 137, 140, 148, 149, 150, 152
Gerardia tenuifolia: nematodes assoc., 105
 Germany, 54
Gladiolus: bacterial scab, 142; *Botrytis* diseases, 1-33; corm rot, 3; *Fusarium oxysporum* f. *gladioli*, 30; leaf and flower blight, 3; western aster yellows virus, inoculation with produces symptoms of grassy top, 142
 Glassy-end and jelly-end, of potato, 154
Gloeodes pomigena, 139
Glomerella cingulata, 40, 139, 142
 --- dieback, of *Hevea*, 40
 --- *phomoides* sp. nov., 152
 Glume blotch, of wheat, 126, 135
 Grafting failure, of ornamental plants, 142
 Grape: Pierce's disease (virus), 141
 Grasses: diseases observed in 1953 on new hosts in Wash., 128; yellow dwarf virus, 137
 "Gray leaf" or "dirty leaf", of *Peperomia obtusifolia* var. *variegata*, 143
 Gray mold, of strawberry, 139
 Greasy blotch, of *Dianthus caryophyllus* 140
 Growth-retarding disease, of sugarcane, 149
 Guatemala, 48
 Guayule, see *Parthenium*
Gymnosporangium juniperi-virginianae, 139
- Halo blight, of bean, 153
 Hawaii, 54
Hedera helix: scab, 142
Helianthus annuus: *Erysiphe cichoracearum* cultured on sunflower crown gall tissue, 142
Helicobasidium root disease, of *Hevea*, 39
Helicotylenchus, 83, 102
Helminthosporium, approaches to classification 111; problems, Suppl. 228, pp. 111-119; variations within species, 116
 --- *avenae*, 113
 --- *bromi*, 113
 --- *carbonum*, 116, 118
 --- diseases, of corn, 118
 --- *gramineum*, 112
 --- *leucostylum*, 112
 --- *maydis*, 116, 118

- (*Helminthosporium*) nodulosum, 111
 --- oryzae-sacchari, 112
 --- panici, 111
 --- papulosum, 111, 126
 --- rostratum, 119
 --- sacchari, 112
 --- sativum, 112, 114, 119, 135
 --- var. *victoriae*, 114
 --- siccans, 112
 --- sorokinianum, 112
 --- teres, 113
 --- tritici-repentis, 113
 --- tritici-vulgaris, 135
 --- turcicum, 116, 118, 136
 --- velutinum, 111
 --- *victoriae*, 112, 114, 134; variation in pathogenicity and evidence for its relationship to *H. sativum*, 114
- Hemicyclophora* sp. 138
- Hendersonula toruloidea*, 129, on *Populus fremontii*, 144
- Heterotheca subaxillaris*: nematodes assoc., 105
- Hevea*: black crust, 40; dieback, 49; *Diplodia theobromae*, 38; diseases in the Western Hemisphere, Suppl. 225, pp. 36-52; *Glomerella* dieback, 40; *Helicobasidium* root disease, 39; leaf blight, 42; leaf blight, South American, 42; moldy rot, 39; *Periconia* blight, 40; *Phytophthora* leaf fall, 49; pink disease, 40; root diseases, 39
 --- *benthamiana*: dieback, 37; *Periconia* blight 40;
 --- clone F 4542: blight resistant breeding clone, 46
 --- *brasiliensis*: black stripe, 37; leaf blight, South American 37; leaf fall, 37; panel decay, 37; *Periconia* blight, 40, 41; *Phytophthora palmivora*, 37; *Phytophthora* pod rot, 37; target leaf spot, 38
 --- *guianensis*: *Periconia* blight, 40
 --- *spruceana*: *Periconia* blight, 40, 41
- Hibiscus cannabinus*: dieback, 147
- Holland*, 3
- Hoplolaimus coronatus*, 138
- Hormodendrum* sp., on chile in New Mex., 150
- Host range of nematodes, value of greenhouse tests in evaluating, 81
- Hot-water treatment of virus infected strawberries, 139
- Hyacinthus*: *Botrytis* spp., 6
- Hylemyia rubivora*, 141
- Hylurgopinus rufipes*, 146
- Hypericum gentianoides*: nematodes assoc., 105
- Idaho*, 153
- Illinois*, 3, 131, 133, 135 ff., 145, 146
- India*, 49, 112
- Indiana*, 134, 135
- Internal browning, of tomato, 152
 --- mold, of pepper, 150
- Iowa*, 136, 137, 154
- Iris* sp.: topple disease in N. Y., 142
- Juglans regia*: *Phytophthora cinnamomi*, 144
- Kansas*, 134, 137
- Karathane*, 139
- Kentucky*, 131, 148, 149
- Late blight of potato, 153; tomato, 152
- Leaf blight of corn, 135; of *Hevea*, 42
 --- ---, South American, of *Hevea*, 37, 42
 --- blotch, peach, of pecan, 141
 --- disease, of pepper, 132
 --- fall, of *Hevea brasiliensis*, 37
 --- and flower blight of gladiolus, 3
 --- rust of grasses (new hosts) 128; *Poa* spp. 137; rye 134; wheat 135
 --- scorch, of pecan, 141
 --- spot, of alfalfa, 137; of apple, 139; of *Crataegus oxyacantha rosea*, 144; of lettuce, 132; of peach, 140; of wheat, 135;
 --- streak, of grasses (new hosts), 128
- Leptothyrium pomi*, 139
- Lespedeza sericea*: *Meloidogyne incognita* var. *acrita*, 81
- Lettuce*: big vein (virus), 152; injury from 2, 4-D in Calif., 152; leaf spot (*Stemphylium botryosum* f. *lactucum* forma nova) (Calif.), 132; mosaic (virus), 152; tobacco-ringspot virus, strain of, (Calif.) 1st rept. on this host, 132
- Ligustrum obtusifolium* var. *regelianum*: witches'-broom (virus), 143
- *ovalifolium*: ringspot (virus), 144
- Lilium* spp.: *Aphelenchoides fragariae*, 142; *Botrytis* spp., 6
- *regale*: buckeye rot, 1st rept. on this host (Tenn.), 130
- Lime-sulfur*, 139
- Liquidambar styraciflua*: blight, 144; leader dieback, 144
- Lobularia maritima*: poor germination of seed, 142
- Losses*: from *Botrytis* and *Curvularia* in United States, 3; from cotton nub rot in Texas, 147; from cotton wilt in Tenn., 147; in cotton, 146, 147; in forage legumes and grasses in N. Y., 136
- Lotus corniculatus*: *Stemphylium loti* n. sp. (N. Y.), 128
- *uliginosus*: anthracnose, 137; black-patch, 137; southern blight, 1st rept. on this host (Ga.), 128, 137; summer blight, 137
- Louisiana*, 80, 86, 126, 129, 134, 137, 144, 149, 151

- Lumber staining, of Douglas fir, 141,
- Macrophomina phaseoli*, 136
- Maine, 130, 141, 154
- Malaya, 49
- Manganese ethylene bisdithiocarbamate, 151
- Manzate, 144
- Marmor citrulli* sp. nov., 133
--- var. *flavidanum*, var. nov., 133
- Maryland, 3, 129, 141 ff., 148, 149, 151
- Massachusetts, 3, 130, 140
- Melampsora lini*, 134
- Melilotus* spp.: diseases in Wisconsin, 137
- Meliola* spp., 111
- Meloidogyne* sp(p.), 77, 102, on cucurbits,
84
--- *arenaria*, 103
--- *incognita*, 77, 86, 92, 151, 152
--- var. *acrita*, 81, 86
- Mentha* spp.: nematodes assoc. with disease,
148; rust, 148
- Metaldehyde dust, 143
- Mexico, 37, 39, 140
- Michigan, 3
- Microsphaera alni*, 141
- Microstroma juglandis* var. *robustum*, 127
- Microthyriella rubi*, 140
- Minnesota, 137
- Mississippi, 84, 134, 151
- Moldy rot, of Hevea, 39
- Monilinia* spp., on stone fruits, 138
--- *fructicola*, 138, 140
--- *laxa*, 138
- Mononchus, 103
- Muscari*: *Botrytis* spp., 6
- Mycosphaerella caryigena*, 141
--- *dendroides*, 141
- Myzus persicae*, 152
- Nabam, 151
- Napicladium, 111
- Narcissus: *Botrytis* spp., 6; *Botrytis*
polyblastis in Oregon, 142,
- Nebraska, 137
- Necrosis, autogenous, of cabbage, 132
- Nematode(s), (see also under genera and
hosts), assoc. with 16 common weeds,
105; complex in southern Georgia, 102;
control to prolong productive period of
white clover in Ga., 106; ectoparasitic,
recent developments with, 80; parasitic
plant abnormalities caused by, 83; pos-
sible members of disease complexes
involving other plant pathogens, 77; soil
fumigation, practical aspects of, 95
- Nematology, plant: science or service?, 75
- New developments and new problems con-
cerning nematodes in the South, Suppl.
227: 74-107
- New host: southern blight on *Lotus uliginosus* in Ga., 137
- New Jersey, 3, 141, 144, 151, 152
- New Mexico, 127, 130, 132, 135, 142, 147,
150
- New York, 3, 126, 128, 135, 142, 150, 154
- New Zealand, 54
- Nicaragua, 48
- Nicotiana*: relation of host nutrition to
multiplication of viruses, 149
--- *glaucia*: mosaic (virus), 149
- North Carolina, 3, 77, 111, 130, 148, 151
- Northern leaf blight, of corn, 136
- Nub rot, of cotton, 147
- Nursery ornamentals: damping-off fungi,
141
- Oats: blight, inheritance of susceptibility
to, 134
- crown rust, 134; *Helminthosporium*
victoriae, 114; *Panagrolaimus*
rigidus, 84; powdery mildew, 134;
soil-borne viruses, 134; "spikelet
drop", cause unknown, 134; stem
rust, 134
- Oedema, of *Peperomia obtusifolia* var.
variegata, 143
- Ohio, 130, 139
- Oidium sp., on tobacco, 148
- Oklahoma, 92, 129, 149
- Onion: purple blotch, limiting factor in
Arkansas Valley of Colorado, 150;
smut, 150
- Ontario, 3, 54
- Ophiobolus sativus*, 115
- Oregon, 128, 137, 139, 141, 142, 148, 153
- Ornamental plants: curly top (virus),
natural infection, 142; grafting failure
(*Thielaviopsis basicola*), 1st rept., 142
- Panagrolaimus rigidus*, 84
- Panama, 42
- Panel decay, of *Hevea brasiliensis*, 37
- Panogen, 136, 141, 149
- Paratylenchus, 83, 102
- Parthenium argentatum: root rot, 149
- Paspalum* sp.: nematodes assoc., 105
- Parzate, 44
- Pea: virus disease complex, 153
- Peach: bacterial spot, 140; brown rot tests
of organic fungicides for control of,
140; canker and leaf spot, 140; *Cli-*
tocybe root rot, 140; crown gall, 140;
decline and chlorosis, nematodes assoc;
78; fruit rot (*Diplodina persicae* n. sp.),
in La., 129; phony disease (virus), 140;
ring spot (virus), not present at Fort
Valley, Ga., 140; scab, 140; wart
(virus) 1st rept. from N. Mex., 127;
western X-disease (virus) 1st rept.
from Ariz., 127
- Peanut: See *Arachis*
- Pear: fire blight, 141

- Pecan: *Articularia quercina*, 1st rept. from Okla., 127; brown leaf spot, 141; crown gall, 141; downy spot, 141; leaf scorch (cause unknown), 141; *Microstroma juglandis* var. *robustum*, 1st rept. from Okla., 127; pecan leaf blotch, 141; pink rot, 141; powdery mildew, 141; rosette (zinc deficiency), 141; scab, 141.
- Pegomyia rubivora*, 141
- Pelargonium hortorum*: bacterial stem rot, 141
- Pellicularia filamentosa*, 38, 137
- Penicillium gladioli*, 24
- Pennsylvania, 130, 132, 139, 145, 149, 151
- Peperomia obtusifolia* var. *variegata*: cutting rot, 143; "gray leaf" or "dirty leaf", 143; oedema (?virus), 143; slugs feeding on leaves, 143
- Pepper: bacterial spot, 150, control with Agrimycin, 152; internal mold, 150; leaf disease ("velvet spot"), colonies of *Cercospora unamunoi* parasitized by *Botrytis yuae* sp. nov. (Fla., Tex., Calif.), 132
- , sweet: ring spot (virus), 151
- Periconia* blight, of *Hevea*, 40
- *heveae*, 40
- Peronospora manshurica*, 137
- *parasitica*, 150
- *tabacina*, 148
- *trifoliorum*, 137
- Persea americana*: *Phytophthora* root rot, 140; spreading decline, 140
- Peru, 42
- Philippine Islands, 42
- Philodendron cordatum*: *Sclerotium rolfsii*, 1st rept. on this host, (Calif.), 130
- Phoradendron juniperinum*: rust, 1st rept. on this host (N. Mex.), 130
- Phorbia rubivora*, 141
- Phragmidium* spp., on *Rosa* spp., 143
- Phygon XL*, 150
- Phyllosticta solitaria*, 139
- Phytophthora* sp., on alfalfa, 128
- *cinnamomi*, 143, 144
- *cinnamomi*, on *Persea americana*, 140
- *cryptogea*, 128
- *fragariae*, 139
- *infestans*, 152, 153
- *palmivora*, 37, 49
- *parasitica*, 129, 130, 131, 138
- --- var. *nicotianae*, 77, 148
- trunk rot, of *Washingtonia filifera*, 131
- Pimple, of *Dianthus caryophyllus*, 129
- Pimples, of watermelon, 151
- Pink disease, of *Hevea*, 40
- root, of shallot, 150
- rot, of peach, 141
- Pinus elliotti*: *Fomes annosus*, 144
- *strobis*: *Corticium galactinum*, 144
- Plasmodiophora brassicae*, 150
- Pleospora trichostoma*, 113
- Plum: phony disease (virus), 140
- Poa* spp.: leaf rust, 137; stem rust, 137
- Pod rot, of *Theobroma cacao*, 49
- Podosphaera leucotricha*, 139
- Polysulfide Compound, 139
- Populus* spp.: surface sterilization of poplar cuttings for disease control, 144
- *fremontii*: *Hendersonula toruloidea*, 144
- Potato: calico (virus), spread from alfalfa and Ladino clover fields, 154; curly top virus, 154; glassy-end and jelly-end (non-parasitic), 154; late blight, 153; scab, 154; scurf, 154; wart, 154
- Powdery mildew, of apple, 139; barley, 134; oats, 134; pecan, 141; *Rosa* spp., 143; tobacco, 148; wheat, 135
- Pratylenchus* spp., 83, 102
- *leiocephalus*, on corn, 136
- *penetrans*, 136
- (?) *pratensis*, 77
- *pratensis*, 90, 138, 140
- *vulnus*, 136
- Prune: crown gall, 140
- Prunus avium*: *Verticillium* wilt, 1st rept. from Calif., 127
- Pseudomonas* sp., on blueberry, 141
- *lachrymans*, 151
- *maculicola*, on broccoli, 150
- *marginata*, 142
- *medicaginis* f. *phaseolicola*, 153
- *solanacearum*, 148
- *tabaci*, 148, 149
- Pseudoperonospora cubensis*, 151
- Pseudopityophthorus minutissimus*, 145
- *pruinosis*, 145
- Pseudoplea briosiana*, 137
- Pseudotsuga taxifolia*: lumber staining (*Endoconidiophora coerulescens* f. *douglasii* n. form.), 131
- Puccinia arachidis*, 146
- *coronata*, 115, 134
- *glumarum*, 128
- *graminis*, 134, 137
- --- *tritici*, 135
- *menthae*, 148
- *poae-sudeticae*, 128
- *rubigo-vera*, 137
- --- *secalis*, 134
- --- *tritici*, 135
- *sorghii*, 136
- Purple blotch, of onion, 150
- Pyrenopeziza terrestris*, 150
- Pythium* sp., on celery, 150
- *ultimum*, 139, 141
- Queen palm, see *Arecastrum*
- Quercus* spp.: oak wilt, 144
- *agrifolia*: oak wilt, 1st rept. on this host (Ill.), 131

- chrysolepis: oak wilt, 1st rept. on this host (Ill.), 131
- ilicifolia: oak wilt, first rept. on this host, found infected in nature (Pa.), 132
- stellata: drought and frost injuries, 145
- Races (see also strains); of *Stemphylium botryosum*, on alfalfa, 137; of *Ustilago tritici*, 135; parasitic, of *Meloidogyne incognita* and *M. incognita* var. *acrita*, 86;
- Radish: *Fusarium* wilt, 153
- Radopholus similis*, 138, 140
- Raspberry: bacterial blight, 141
- , red: technique for indexing for viruses, 141
- Reaction, of wheat vars. to *Septoria nodorum*, 135
- Red stele, of strawberry in Oregon, 139
- Resistance, to red stele root disease in breeding strawberries in Oregon, 139; to rust and to soil-borne mosaic viruses, in oats, 134
- Rhizoctonia* aerial blight, of soybean, 137
- *solani*, 137, 141, 143, 147, 150, 154
- Rhode Island, 140, 143
- Rhubarb: ringspot-like virosis, 153
- Rhynchosporium orthosporum*, 128
- *secalis*, 128
- Richardia scabra*: nematodes assoc., 105
- Ricinus communis*: bacterial leaf spot, 149, 1st rept. in U. S. (Md., Okla., Tex.), 129
- Root diseases, of *Hevea*, 39
- rot, of alfalfa, 128; of *Parthenium argentatum*, 149; of wheat, 135
- Rosa* spp.: anthracnose, 143; black mold, 143; black spot, 143; *Capitophorus fragaefolii*, 139; crown canker in Del., 1st rept. in field, 143; powdery mildew, 143; rust, 143
- Rosellinia necatrix*, 129
- Rosette, of pecan, 141
- Rot, cutting, of *Peperomia obtusifolia* var. *variegata*, 143
- Rotylenchus* spp., 102
- Ruga verrucosans*, 142, 146
- Rust, of *Arachis hypogaea*, 146; bean, 153; corn, 136; *Digitaria* spp., 126; flax, 134; *Mentha* spp., 148; *Phoradendron juniperinum*, 130; *Rosa* spp., 143
- Rutabaga: *Botrytis* spp., 5
- Rye: leaf rust, 134
- Scab, of apple, 139; cucumber, 151; *Hedera helix*, 142; peach, 140; pecan, 141; potato, 154
- Scald, of apple, role of cutin in and effect of mineral oil on storage, 140; of grasses (new hosts), 128
- Scaly bark, of *Citrus* spp., 138
- Scilla*: *Botrytis* spp., 6
- Sclerospora macrospora*, on *Sorghum halepense*, 126
- Sclerotinia draytoni*, 4
- *minor*, 155
- *sclerotiorum*, 152, 153
- *trifoliorum*, 138, 152
- Sclerotium rolfsii*, 78, 128, 130, 137, 151
- on *Philodendron cordatum*, 130
- Scolecotrichum graminis*, 128
- Scolytus multistriatus*, 146
- Scurf, of potato, 154
- Selenophoma donacis* var. *stomaticola*, 126
- Septoria* spp.: fungicidal efficacy, 54
- *apii*, 58
- *apii-graveolentis*, 58
- *chrysanthemi*, 58
- *leucanthemi*, 58
- *lycopersici*, 58
- *nodorum*, 126, 135
- *petroselini*, 68
- *rubi*, 68
- Sesamum* spp.: *Fusarium* wilt, 149
- Shallot: pink root, 150
- Slugs, on *Peperomia obtusifolia* var. *variegata*, 143
- Small grain diseases, in Texas, 134
- Smut, of corn, 136; onion, 150
- , covered-kernel, of *Sorghum* spp., 134
- , head, of *Bromus marginatus*, 136
- , loose, of wheat, 135
- Snowmold, of wheat, 135
- Soil fumigation for nematodes, factors affecting results with, 98; practical aspects of, 95
- Soil rot, of sweetpotato, 151
- Some new and important plant disease occurrences and developments in the U. S. in 1953, Suppl. 229, pp. 122-154
- Sooty blotch, of apple, 139
- Sorghum* spp.: smut infested seed, 17 fungicides tested, 134
- *halepense*: downy mildew, 134; 1st rept. from La., 126
- South America, 37
- South Carolina, 78, 80, 89, 140, 144, 148, 149, 151
- South Dakota, 135
- Southern blight, of *Lotus uliginosus*, 128, 137; of tomato, control by chlorobromo-propene, 152
- Soybean: *Belonolaimus gracilis*, 137; diseases in Iowa, 137; downy mildew, 137; iron deficiency, sting nematode assoc., 78; *Rhizoctonia* aerial blight, 137
- Spergon, 38
- Spermopora subulata*, 128
- Sphaceloma hederae*, 142
- *rosarum*, 143
- Sphacelotheca sorghi*, 134

- Sphaerotheca spp., on *Rosa* spp., 143
 "Spikelet drop", of oats, 134
 Spreading decline, of avocado, 140;
 of *Citrus* spp., 138, 140
 Squash: bacterial leaf spot, 151
 Stem canker, of blueberry, 141
 --- pitting, of *Citrus* spp., 138, relation to
 tristeza in South Africa and Brazil, 138
 Stem rust of oats, 134; *Poa*, 137; wheat 135
Stemphylium botryosum, 137
 --- f. *lactucum*, 132
 --- *loti*, n. sp., 128
 Strains (see also races), of alfalfa mosaic
 virus causing mottle in beans, 153; of
 cucumber mosaic virus from pepper and
 alfalfa causing ring spot of sweet pepper,
 151; of curly top virus, 146, in potato
 154; of late blight fungus on tomato not
 formerly present in Fla., 152; of
Peronospora manshurica on soybean
 in N. C., 137; of tobacco ring spot
 virus assoc. with pimples disease of
 watermelon in Texas, 151
 --- A and B, of the strawberry latent virus,
 139
 ---, new, of bean rust, 153
 Strawberry (see also *Fragaria*) *Dematophora*
 root and crown rot, 1st rept. on this
 host (Calif.), 129; dwarf, 139; gray mold,
 139; red stele, in Oregon, 139; Straw-
 berry dwarf, of *Fragaria* spp., 139
Streptomyces ipomoea, 151
 --- scabies, 154
Streptomycin, 139, 141
 Stripe rust, of grasses (new hosts), 128
 Sugar beet, see *Beta*
 Sugarcane: growth-retarding disease, 149
 Sulphur, 143
 Sulphur lead arsenate, 143
 Sumatra, 143
 Susceptibility, of bean leaves to tobacco
 mosaic virus, 153; of *Gladiolus* vars. to
 Botrytis leaf blight, 13
 Sweetpotato: breeding for resistance to root-
 knot nematode, 92; circular spot, 151;
 internal cork (virus), 151; mosaic (virus),
 152; soil fumigation for control of nema-
 todes, black rot and wireworms, 78; soil
 rot, 151
 Switzerland, 54
Synchytrium endobioticum, 154
Syringa japonica: witches'-broom (virus), 143
 --- *vulgaris*: witches'-broom (virus), 143
Systox, 142
Tamarix pentandra: bacterial parasite, 1st
 rept. on tamarisks (Ariz., N. Mex.,
 Tex), 132
 Target leaf spot, of *Hevea brasiliensis*, 38
 Tennessee, 129, 130, 147, 148
Terramycin, 139, 140
 Texas, 78, 129, 132, 134, 136, 144, 147,
 149, 152, 153
Theobroma cacao: pod rot, 49
Thielaviopsis basicola, 142, 147, 148
Tilletia spp., 134
 --- *brevifaciens*, 135
 --- *caries*, 128, 135
 Tobacco (see also *Nicotiana*): bacterial
 wilt, 148; black root rot, 148; black
 shank, 148, *Meloidogyne* sp. assoc.,
 77; blue mold, 148; false broomrape,
 149, 1st rept. (Ky., Fla.,), 131;
 Fusarium wilt, 148; leaf curl (virus),
 131; mosaic virus, new serological
 test, 149; nematodes, problems in
 breeding for resistance to, 89; pow-
 dery mildew, 148; ring nematode, 80;
 Tylenchorhynchus claytoni, 80, 83,
 149; wildfire, 148, 149
 Tomato: bacterial spot, control with Agri-
 mycin, 152; *Fusarium* wilt, 152, root
 knot nematode assoc., 78; *Glomerella*
 phomoides sp. nov., 152; internal
 browning, 152; late blight, 152;
 Meloidogyne incognita, 152; new virus
 disease (Ill.), 133; potato virus Y, 152;
 sandstorm damage, 153; southern blight,
 152
 Topple disease, of *Iris* sp., 142
Trichodorus, 83, 90, 102, 138, assoc. with
 avocado roots, 140
Trifolium pratense: crown rot, 138; dis-
 eases, prevalence and severity of, in
 Wis., 137
 --- *repens*: *Heterodera schachtii* var. tri-
 folii, 138
 --- --- var. Ladino: diseases, prevalence
 and severity of, in Wis., 137; mosaic
 virus disease complex, 138
Triton B-1956, 139
Tritonia: *Botrytis gladiolorum*, 5
Tulipa: *Botrytis* spp., 6
Turnip: *Botrytis* spp., 5
Tylenchorhynchus claytoni, 80, 83, 149
 --- *dubius*, 80, 147
Typhula spp., on wheat, 135
Ulmus spp.: phloem necrosis virus, 146;
 Dutch elm disease, 146
Uredo phoradendri, 130
Urocystis cepulae, 150
Uromyces phaseoli var. *typica*, 153
Ustilago avenae, 134
 --- *bullata*, 136
 --- *kollerii*, 134
 --- *maydis*, 136
 --- *tritici*, 135
Utah, 154
Valsa leucostomoides, on *Acer saccharum*,
 144

- Variegation, leaf and flower, of camellia, transmission by grafting, 142
- Vegetable seed treatment tests for improved emergence, 149
- Venturia inaequalis, 139
- Vermont, 144
- Verticillium albo-atrum, 127, 147
- wilt, of *Prunus avium*, 127
- Viburnum opulus* var. *roseum*: anthracnose, 143
- Virginia, 135, 140, 148
- Virus diseases: alfalfa mosaic on bean, 153
- : aster yellows of *Dianthus* spp., 142
- : big vein of lettuce, 152
- : calico of potato, 154
- : cereal yellow dwarf of Gramineae, 137
- : curly top of *Beta vulgaris*, 146; of potato, 154
- : exocortis of *Citrus* spp., 126
- : internal cork of sweetpotato, 151
- : latent virus of strawberry, 139
- : leaf curl of tobacco, (Ky.), 131
- : mosaic, of *Datura meteloides*, 149; lettuce, 152; *Nicotiana glauca*, 149; sweetpotato, 152; watermelon, 133
- : mosaic disease complex of *Trifolium repens* var. *Ladino*, 138
- : new virus disease of citrus, 128; tomato, 133
- : Noordam's B virus in the U. S., on chrysanthemum, 142
- : phloem necrosis of elm, 146
- : phony disease of peach and plum, 140
- : Pierces's disease of grape, 141
- : potato calico in *Chenopodium album*, 130
- : potato virus Y in tomato, 152
- : of red raspberry, technique for indexing for, 141
- : ring spot, of blueberry, 141; *Ligustrum ovalifolium*, 144; peach, 140; sweet pepper, 151; ring spot-like virus of curly dock, 153, of rhubarb, 153
- : seed-borne virus in barley, 134
- : soil-borne, of oats 134; of wheat 135;
- : striate mosaic on wheat, 136
- : tobacco mosaic virus of bean, 153
- : tobacco-ringspot virus, strain of, on lettuce in Calif., 132
- : virus disease complex of pea, 153
- : wart of peach, 127
- : western aster yellows of *Gladiolus* spp., 142
- : western X-disease of peach, 127
- : witches' broom of alfalfa, 138; of *Ligustrum obtusifolium* var. *regelianum*,
- 143; *Syringa* spp., 143
- : yellow watermelon mosaic (*Marmor citrulli flavidanum*), 133
- Walnut: see *Juglans*
- Walnut branch wilt, of fig, 129
- Wart, of potato, 154
- Washington, 3, 126, 128, 135, 139, 141, 142, 150, 154
- Washingtonia filifera*: *Phytophthora* trunk rot, 1st rept. on this host (Calif.), 131
- Watermelon: anthracnose, 151; mosaic virus (*Marmor citrulli* sp. nov.), (Fla.), 133; pimples, 151; yellow watermelon mosaic virus (*Marmor citrulli flavidanum* var. nov.), (Fla.), 133
- Weather of 1953, general, 122, drought, 124, destructive storms, 124, maps, 123
- Weather injuries: drought and frost injuries, 145; sandstorm damage to tomato, 153
- West Virginia, 145
- Wheat: bunt, 135; copper carbonate slurry injurious to seed, 135; *Corynebacterium tritici*, *Anguina tritici* assoc., 78; *Dilophospora alopecuri*, *Anguina tritici* assoc., 78; dwarf bunt, 135; *Fusarium nivale*, fungicide tests for control of, 135; glume blotch, 135, 1st rept. from Fla., 126; leaf rust, 135; leaf spot, 135; loose smut, 135; powdery mildew, 135; root rot, 135; snow-mold, 135; soilborne mosaic virus, 135; stem rust, sulfa drugs for control of, 135; striate mosaic in S. Dak., similar to cereal virus diseases in U.S.S.R., 136; *Typhula* spp., control, 135
- White mold, of bean, 153
- Wildfire, of tobacco, 148, 149
- Wilt, of cotton, 147
- , oak, of *Quercus* spp., 144; of *Quercus agrifolia*, *Q. chrysolepis*, 131, *Q. ilicifolia*, 132
- Wisconsin, 132, 150, 153
- Xanthomonas hortorum*, 142
- *malvacearum*, 147
- *oryzae* new var., 129
- *phaseoli*, 153
- *pruni*, 140
- *ricinicola*, 129, 149
- *vesicatoria*, 150, 152
- Xiphinema, 102
- *americanum*, 138
- Zerlate, 150
- Zinc sulfate, 151
- Zineb, 144, 149, 151
- Zygodiala jamaicensis, 140

ERRATA

On page 78, line 14, read Fusarium oxysporum, instead of Fusarium oxysporium

On page 114, 1st line of title read VARIATION IN PATHOGENICITY instead of VARIATION IN PATHOGENCITY.

On page 131, under Fan Palm read (Washingtonia filifera) instead of (Washington filifera)

On page 148, 3rd paragraph, line 8, read Pseudomonas solanacearum instead of Pseudomonas solancearum.

